



**ADDENDUM NO. 3**

**DATE:** December 15, 2023

**PROJECT:** HWY 67 to HWY 51 Arkadelphia Bypass Water & Sewer Relocations  
And 13<sup>th</sup> Street Lift Station  
Arkadelphia Water Utility  
Arkadelphia, Arkansas

**BID DATE:** December 19, 2023, 11:00 AM

---

This Addendum forms a part of the Contract Documents and modifies the original documents provided to Bidders, as noted below. Acknowledge receipt of this Addendum in the space provided in the BID FORM. Failure to do so may subject the Bidder to disqualification.

The Contract Documents for the above Project are hereby amended as follows:

**ITEM #1: Contract Documents – Bid Form**

Modify the descriptions of bid items 3 and 4 as follows:

3. 46" **15"** SDR 26 PVC Gravity Sewer
4. 46" **15"** SDR 26 PVC Gravity Sewer, Restrained Joint

**ITEM #2: Appendices – Appendix B – Special Considerations**

Add Appendix B – Special Considerations, attached hereto.

**ITEM #3: Drawings – Sheet 27**

Delete Item #13 – Addendum No. 2 in its entirety.

**ITEM #4: Drawings – Sheet 34**

Delete Note 4 in its entirety.

**ITEM #5: Drawings – Sheet 35**

Delete Note 4 in its entirety.

**ITEM #6: Drawings – Sheet 37**

Delete Item #16 – Addendum No. 2 in its entirety.

**ITEM #7: Drawings – Sheet 48**

Modify Detail E, Note 4 on plan sheet 48 as follows:

4. RESTRAINED JOINT PIPE SHALL BE USED FOR ALL JOINTS INSIDE THE ENCASEMENT PIPE AND FOR THE FIRST JOINT IN EACH DIRECTION OUTSIDE THE ENCASEMENT PIPE. **BELL RESTRAINTS FOR PVC SHALL BE SERIES 1900, 2800 OR RESTRAINT HARNESS WITH SERIES 5000 MEGA-STOP MECHANICALLY RESTRAINED JOINT (MRJ) AS MANUFACTURED BY EBAA IRON SALES, INC. OR APPROVED EQUAL.**

Attachments:

1. Appendix B - Special Consideration

**END OF ITEMS**

All other provisions of the Contract Documents remain unchanged. Acknowledge receipt of this Addendum on the BID FORM.

**CRIST ENGINEERS, INC.**



Matthew D. Dunn, P.E.  
President

**City of Arkadelphia**

**Utility Department**

**SPECIAL CONSIDERATIONS**

Job Title: Hwy 67 to Hwy 51 Arkadelphia Bypass Water and Sewer Relocations

RPID # 21151

Book # 638 Page # 638

Property Owner: Blair Holdings LLC

Property Address:

727 Walnut St, Arkadelphia, AR 71923

Phone No. \_\_\_\_\_

Mailing Address:

223 3rd St, Hot Springs National Park, AR 71923

Phone No. \_\_\_\_\_

In consideration for the Permanent Utility Easement, the City of Arkadelphia agrees to the following:

Both an entrance and an exit will be accessible at all times during construction. A temporary access drive shall be maintained at all times during construction.

---

---

---

---

---

Total Compensation for the above listed items shall be in the amount of \$ \_\_\_\_\_

It is agreed that neither party hereto is relying upon any oral or written information or representations made by the other prior to the signing of the easement unless expressly provided herein, and that easement constitutes the entire agreement between the parties and shall not be hereafter amended or modified unless reduced to writing and signed by the parties hereto.

Acting Agent: \_\_\_\_\_ Date: \_\_\_\_\_

Property Owner(s): \_\_\_\_\_ Date: \_\_\_\_\_

\_\_\_\_\_ Date: \_\_\_\_\_